



7100 Wheelhouse Walkaround

Current Models:

- **4800** Centre Console Soft T-Top
- **5800** Centre Console, Soft / Hard T-Top
- **6000** Forward Closed Cabin, Soft Canopy Top
- **6800** Centre Console, Hard / Soft T-Top
- **7100** Walk-Around Wheelhouse
- **7600** Forward Closed Cabin Sport Fisher
- **9000** Centre Console, Hard T-Top
- **9000** Walk-Around Wheelhouse
- **9100** Forward Closed Cabin Sport Fisher (Day Fisher)
- **9100** Forward Closed Cabin Sport Fisher (Night Fisher)

Who We Are

About Us

At Orcat Marine, We Take Great Pride In Building Outstanding Vessels That Are The Epitome Of Performance And Innovation. Our Legacy, Once As Eclipse Marine, Has Been Revitalized With A Name Upgrade That Retains The Same Distinctive Curved Designs, Expertly Combined With Exceptional Performance To Solidify Our Position As Market Leaders.

The Mighty *Orcat* Has Been Designed To Travel The Rough Seas In All 360° Directions, In Any Given Situation:

1. Following Sea
2. Quartering On Sea
3. Quartering Off Sea
4. Head On Sea
5. Side On Sea


In Which Direction Do You Want To Travel?
Just Point The Bow And Go 360°

Contact Us

Phone: 044 004 0084

Email: info@orcatmarine.co.za

Cell: 076 744 2649



ORCAT MARINE

Model Specifications Brochure



Notable Materials Used In Our Manufacturing Process:

Maricell Mycell Eco Structural PVC Foam

Decks:

A Closed-Cell, Cross-Linked PVC Foam, Which Contains No CFC. This Self-Extinguishing Foam Offers Excellent Chemical Resistance, Thermal Insulation Capabilities, And Negligible Water Absorption. Produced Using Renewable Energy, Significantly Reducing The Carbon Footprint Of PVC Foam

Flotex Carpet Decking:

It Has A Smooth Velour-Like Surface That Provides The Comfort Of A Carpet Yet Is Durable And Resilient Enough To Be Used In Heavy Traffic Areas. Flotex is 100% Waterproof, And Its Anti-Microbial Properties Prevent The Growth Of Mold And Mildew. This Easy-To-Clean Flooring Is Resistant To Stains And Provides Excellent Slip Resistance Even When Wet.

*Born In Mossel Bay, Made
For The World's Waters!*

Polyurethane Foam:

Supplied As Part A (Foam Liquid) And Part B (Resin Catalyst), It Produces A Durable, Self-Extinguishing Foam With A High Closed-Cell Structure And Excellent Dimensional Stability. This Makes It Ideal For Marine Applications, Cavity Filling, Insulation Panels, And Other General-Purpose Uses Where Strength And Reliability Are Essential. Coatings Are Resistant To Wear And Tear, Extending The Lifespan Of Surfaces.

316 Stainless Steel:

A High-Grade Alloy Known For Its Superior Corrosion Resistance, Making It Ideal For Coastal And High-Moisture Environments, And It Can Exhibit High Creep, Stress-To-Rupture, And Tensile Strength At Elevated Temperatures.

*Orcat Marine Is Proud To Design And Build
High-Quality Boats That Are Cherished By
Customers Worldwide.*

*From Our Workshop To Waterways Worldwide,
Our Vessels Are A Testament To South African
Craftsmanship, Innovation, And Reliability.
Whether For Leisure Or Performance, We Bring
Our Passion For Boating To Every Project,
Ensuring That Our Boats Meet The Diverse
Needs Of Enthusiasts And Professionals In
Every Corner Of The World.*



9100 Forward Closed Cabin Sport Fisher (Day Fisher)

Standard Features On All Models:

- Fiberglass Hull
- Fiberglass Top
- Fiberglass Bumbox (Choice Of Basin / Without Basin, Excludes 4800 Model)
- Polyurethane Foam Filled Buoyancy Transom (Non-Degradable Material)
- MyCell Eco-Green Deck With Flotex carpet
- 3x SLS316 Tie-Down U-Bolts
(1x Bow & 2x Stern)
- 2x 50mm SLS316 Stern Roll Bars
- 6x Open Fishing Rod Storage Hooks
- 2x Trawling Boards With Rod Holders
- Upholstery For All Seats
- 2x SLS316 Keel Strips
- 2x Navigation Lights
(Starboard And Port)
- Anchor Light
- 38mm SLS316 Aft Cage Railing With Step Ladder
- SLS316 Anchor Chute
- SLS316 Bollard
- 2x Shut Off Valves On Fuel Lines (Applicable For Built-In Tanks Only)
- 15" Foamed Steering Wheel
- 12V Isolator Connected To 6 Gang Switches For
Navigation And Anchor Lights
- 1x Dash Mounted Compass
(Available In White or Black)
- Engraved Bow SLS316 Splash Plate
- Aluminium Bumpstrip And Rubber Insert
(All Black)
- Truhull Drainage (Bungs) In Fish Hatches
- 2x Brass Bung Plugs
- SLS316 Latches
- BiB Certificate
- Boat Wired For 3 Batteries
(Batteries Not Included Due To Transport Hazard; Size - 105ah)

4800 Centre Console With Frame, Soft T-Top

Specification:

Length: 4.8m / 16 Ft
Length On Trailer: 7m
Beam: 2.24m
Deck Width: 1.96m
Minimum Horsepower: 2x 40hp Motors
Maximum Horsepower: 2x 60hp Motors
Pax Capacity: 5 Persons
Height On Trailer: 3m
Fuel Capacity: 1x Built-In 100L Aluminium Tank
Included:

- 2x Large Plastic Drainage Scuppers
- 2x 25mm SLS316 Bow Rail
- 2x 180L Underdeck Fish Hatches
- 5x Rockets On T-Top
- 1x Fuel Level Gauge
- 1x Fuel Level Sensor
- 1x Fuel Spout
- 2x (L) Top Bow Storage Hatches For Life-Jackets and/or Anchor
- 2x (S) Dry Bow Storage Box Hatches
- 2x (L) Side C/C Hatches For Batteries And Electronics Wiring Access
- 1x (S) Centre Top C/C Hatch for Electronics Wiring Access
- 2x (M) Dry Stern Hatches
- 1x Livewell Hatch



All motors, electronics, sound systems, batteries, and trailers are quoted separately

Extras are available, and customizations can be accommodated upon request and quoted for separately

Your next adventure starts here.
Custom-built boats, crafted with
pride and proven at sea
Not just a boat – but your personal
escape on the water.

5800 Centre Console, Soft T-Top / Hard T-Top

Specification:

Length: 5.8m / 19 Ft
Length On Trailer: 8m
Beam: 2.45m
Deck Width: 2.2m
Minimum Horsepower: 2x 60hp Motors
Maximum Horsepower: 2x 115hp Motors
Pax Capacity: 6 Persons
Height On Trailer To Top Of T-Top With Rockets: 3.7m
Fuel Capacity: Jerry Cans Or Built-In 2x 84L/180L Aluminium Tanks
Included:

- 2x Large Plastic Drainage Scuppers
- 2x 25mm SLS316 Bow Rail
- 2x 180L Underdeck Fish Hatches
- 4x Downlights In The Ceiling (Hard T-Top)
- Polycarbonate Centre Console Visor
- 6x Rockets On T-Top
- 2x (L) Top Bow Storage Hatches For Life-Jackets and/or Anchor
- 2x (M) Dry Bow Storage Box Hatches
- 1x (S) Centre Top C/C Hatch for Electronics Wiring Access
- 2x (L) Side C/C Hatches For Batteries And Electronics Wiring Access
- 2x (L) Dry Stern Hatches
- 1x Livewell Hatch With Pump



6000 Forward Closed Cabin, Soft Top

Specification:

Length: 5.8m / 19 Ft
Length On Trailer: 8m
Beam: 2.45m
Deck Width: 2.2m
Minimum Horsepower: 2x 60hp Motors
Maximum Horsepower: 2x 115hp Motors
Pax Capacity: 7 Persons
Height On Trailer To Top Of T-Top With Rockets: 3.7m
Fuel Capacity: Jerry Cans Or Built-In 2x 84L/180L Aluminium Tanks
Included:

- 2x Large Plastic Drainage Scuppers
- 1x Soft Canopy Top
- 2x 180L Underdeck Fish Hatches
- 1x Door To The Cabin For Life-Jackets Anchor and/or Extra Storage
- 1x Perspex Escape Hatch In Cabin
- 2x Captain's Chairs
- 2x 25mm SLS316 Bow Rail
- 7x Canopy Rockets
- 2x (L) Dry Stern Hatches
- 1x Livewell Hatch With Pump



Every element of our boat's design serves a
purpose: your experience.

We've created a style and structure you won't see
anywhere else – carefully shaped to deliver
comfort, capability, and unmistakable character in
every wave.

6800 Centre Console, Soft T-Top / Hard T-Top

Specification:

Length: 6.8m / 23 Ft

Length On Trailer: 10m

Beam: 2.5m

Deck Width: 2.3m

Minimum Horsepower: 2x 100hp Motors

Maximum Horsepower: 2x 150hp Motors

Pax Capacity: 8 Persons

Height On Trailer - Top Of T-Top With Rockets: 3.7m

Fuel Capacity: Jerry Cans Or Built-In 2x 180L

Aluminium Tanks

Included:

- 4x Downlights In The Ceiling (Hard T-Top)
- 6x Rockets On T-Top
- 2x Large SLS316 Drainage Scuppers
- 2x 25mm SLS316 Bow Rail
- 2x 180L Underdeck Fish Hatches
- Polycarbonate Centre Console Visor
- 2x (L) Top Bow Storage Hatches For Life-Jackets and/or Anchor
- 2x (M) Dry Bow Storage Box Hatches
- 1x (S) Centre Top C/C Hatch for Electronics Wiring Access
- 2x (L) Side C/C Hatches For Batteries And Electronics Wiring Access
- 2x (L) Dry Stern Hatches
- 1x Livewell Hatch With Pump



7100 Walkaround Wheelhouse With Attached Seat/Front Hatch

Specification:

Length: 6.8m / 23 Ft

Length On Trailer: 10m

Beam: 2.5m

Deck Width: 2.3m

Minimum Horsepower: 2x 115hp Motors

Maximum Horsepower: 2x 200hp Motors

Pax Capacity: 8 Persons

Height On Trailer - Top Of T-Top With Rockets: 3.8m

Fuel Capacity: Jerry Cans / Built-In 2x 180L Aluminium Tanks

Included:

- 2x Wheelhouse Side Sliding Windows
- Windscreen
- 2x Large SLS316 Drainage Scuppers
- 2x 25mm SLS316 Bow Rail
- 2x 180L Underdeck Fish Hatches
- 7x Rockets On Roof
- 2x (L) Top Bow Storage Hatches For Life-Jackets and/or Anchor
- 2x (M) Dry Bow Storage Box Hatches
- 2x (L) Wet Deck Stern Hatches
- 1x Door To Wheelhouse Cabin For Battery And Extra Storage
- 1x Livewell Hatch With Pump



7600 Forward Closed Cabin Sports Fisher (Hard Top)

Specifications:

Length: 7.6m / 25 Ft

Length On Trailer: 10m

Beam: 2.5m

Deck Width: 2.3m

Minimum Horsepower: 2x 115hp Motors

Maximum Horsepower: 2x 200hp Motors

Pax Capacity: 10 Persons

Height On Trailer - Top Of T-Top With Rockets: 3.8m

Fuel Capacity: Built-In 2x 180L Aluminium Tanks

Included:

- 2x Large SLS316 Drainage Scuppers
- 1x Complete 32mm SLS316 Bow Rail
- Windscreen
- 2x Wipers
- 2x 360° Rotation Captain's Chairs
- 2x Sliding Windows In Outer Cabin
- 2x Roof Vents In Outer Cabin
- 1x Door To The Cabin For Life-Jackets Anchor and/or Extra Storage
- 1x (M) Lower Dash Hatch For House Battery And Extra Storage
- 1x Perspex Escape Hatch In The Inner Cabin
- 2x 180L Underdeck Fish Hatches
- 7x Roof Rockets
- 2x (L) Dry Stern Hatches
- 1x Livewell Hatch With Pump



Specifications available upon request for models:

9000 Centre Console, Hard T-Top (9m / 30Ft)

9000 Walk-Around Wheelhouse (9m / 30Ft)

9100 Forward Closed Cabin Sport Fisher (Day Fisher) (9m / 30Ft)

9100 Forward Closed Cabin Sport Fisher (Night Fisher) (9m / 30Ft)

All motors, electronics, sound systems, batteries, and trailers are quoted separately

Extras are available, and customizations can be accommodated upon request and quoted for separately